

BECK AMMUNITION

STEALTH SERIES™

.223 Remington SUBSONIC 52 gr. JHP “TNT”

Velocity: 1010 *Feet per Second*, 16" Barrel

Muzzle Energy: 117.7 *Ft/Lbs*

At an Elevation Angle of: 0 *degrees*

Ballistic Coefficients of: 0.168

Firearm/Trajectory Intersect: 100 *Yards*

Wind Direction is: 3.0 *o'clock* **Wind Velocity of:** 10.0 *Miles per hour*

Wind Components are (Miles per Hour): DownRange: 0.0 **Cross Range:** 10.0 **Vertical:** 0.0

The Firing Point speed of sound is: 1129.95 *fps*

The bullet drops below the speed of sound on the trajectory (1129.95 fps) at: 00 yards

Altitude: 0 *Feet* **Humidity:** 65 **Percent** **Pressure:** 29.53 *in/Hg*

Temperature: 68 *F*

Range (Yards)	Velocity (Ft/Sec)	Energy (Ft/Lbs)	Bullet Path (inches)	Bullet Path (1 MoA)	Wind Drift (inches)	Wind Drift (1 MoA)	Time of Flight (Seconds)
0	980	110.9	-1.5	0	0	0	0
50	930.5	100	4.27	8.1	0.73	1.4	0.1572
100	888.3	91.1	0	0	2.84	2.7	0.3222
150	851	83.6	-15.28	-9.7	6.28	4	0.4948
200	817	77.1	-42.56	-20.3	11.01	5.3	0.6748
250	785.4	71.2	-82.86	-31.7	17.05	6.5	0.8622
300	756	66	-137.27	-43.7	24.4	7.8	1.057

Data Printed in English Units